


SUBMARINER WASHDOWN BENCH SCALES



INSIDE



ALL OPEN DECK
STRUCTURE



HI-TEMP • HI-PRESSURE
IP69K
WASHDOWN SCALE

The industry's highest environmental protection rating available.



FEATURES

- Stainless steel base, pan and NTEP load cell
- Certified to withstand high pressure wash-down
- Detachable column and tilt stand for table, wall, or under counter mounting
- The submariner is impact resistant and has a 1000% overload protection to prevent load cell damage
- Food grade rubber feet are easy to clean, provide traction and prevent surface scratches
- Ideal for tough working environments
- NTEP and Canadian certified digital indicator
- Equipped with a large multi-color reverse LCD display and capacitive touch keypad
- Functions: Accumulation, Hold, and Live and Peak weight
- Sealed ABS enclosure is rated for IP69K
- Standard communications include one RS-232C port
- Units: lb, kg, lb-oz, g
- Display: 1.0", 7 Digit Reverse LCD
- Serial Port: Full Duplex RS-232C
- Power: AC Adapter, Optional rechargeable battery
- Repel Construction: Durable ABS NEMA 4x / IP69K

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	COLUMN	SHIP WT.
SUBM-21010	All Stainless Steel	2 lb x 0.0005 lb	10" x 10" x 3" H	10"	47 lbs
SUBM-51010	All Stainless Steel	5 lb x 0.001 lb	10" x 10" x 3" H	10"	47 lbs
SUBM-101010	All Stainless Steel	10 lb x 0.002 lb	10" x 10" x 3" H	10"	47 lbs
SUBM-251010	All Stainless Steel	25 lb x 0.005 lb	10" x 10" x 3" H	10"	47 lbs
SUBM-501010	All Stainless Steel	50 lb x 0.01 lb	10" x 10" x 3" H	10"	47 lbs
SUBM-501212	All Stainless Steel	50 lb x 0.01 lb	12" x 12" x 3" H	10"	52 lbs
SUBM-1001212	All Stainless Steel	100 lb x 0.02 lb	12" x 12" x 3" H	10"	52 lbs
SUBM-501616	All Stainless Steel	50 lb x 0.01 lb	16" x 16" x 3" H	16"	66 lbs
SUBM-1001616	All Stainless Steel	100 lb x 0.02 lb	16" x 16" x 3" H	16"	66 lbs
SUBM-2001616	All Stainless Steel	200 lb x 0.05 lb	16" x 16" x 3" H	16"	66 lbs
SUBM-1001818	All Stainless Steel	100 lb x 0.02 lb	18" x 18" x 4" H	16"	66 lbs
SUBM-2501818	All Stainless Steel	250 lb x 0.05 lb	18" x 18" x 4" H	16"	66 lbs
SUBM-5001818	All Stainless Steel	500 lb x 0.1 lb	18" x 18" x 4" H	16"	66 lbs
SUBM-1002424	All Stainless Steel	100 lb x 0.02 lb	24" x 24" x 4" H	16"	72 lbs
SUBM-2502424	All Stainless Steel	250 lb x 0.05 lb	24" x 24" x 4" H	16"	72 lbs
SUBM-5002424	All Stainless Steel	500 lb x 0.1 lb	24" x 24" x 4" H	16"	72 lbs

SPLASH STAINLESS STEEL BENCH SCALES



INDICATOR UPGRADES:



FEATURES

- Stainless steel base, stainless steel platform
- Large 0.9" backlit LCD indicator with a rechargeable battery and watersealed AC Adapter
- Stainless steel load cell with hardwired cable to indicator for maximum water protection
- Detachable column and tilt stand for table, wall or under counter mounting
- Overload stops on scale base
- Measurement units: lb, kg (g, lb:oz, oz - Not Legal for Trade)
- Lower/upper limit alarm
- Counting feature (Not Legal for Trade)
- Accumulation feature
- Check-weighing feature for quick portioning
- Level bubble

SPECIFICATIONS

- **POWER:** 6V 4Ah rechargeable lead acid battery with 110V power supply
- **FREQUENCY:** 50 or 60 Hz
- **SERIAL COMMUNICATIONS:** Full duplex RS-232, 9600, 4800, 2400, 1200 bps; 8 data bits, 1 stop bits, no parity, no handshaking
- **OPERATING TEMPERATURE:** 5°F to 104°F (-4°C to 40°C)
- **IP RATING:** IP67
- **WARRANTY:** 1 year limited warranty
- **APPROVALS:** NTEP CC 11-016, Class III 5,000 d; Measurement Canada AM-5817, Class III 5,000 d

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	COLUMN HEIGHT	SHIP WT.
HIGH PRECISION WASHDOWN¹					
STSSHP-6	All Stainless Steel	6lb x 0.0002lb / 3kg x 0.1g	10" x 10" x 4" H	4"	21 lbs
STSSHP-15	All Stainless Steel	15lb x 0.0005lb / 7.5kg x 0.2g	10" x 10" x 4" H	4"	21 lbs
STSSHP-30	All Stainless Steel	30lb x 0.001lb / 15kg x 0.5g	10" x 10" x 4" H	4"	21 lbs
STSSHP-60	All Stainless Steel	60lb x 0.002lb / 30kg x 1 g	10" x 10" x 4" H	4"	21 lbs
STANDARD WASHDOWN					
STSS-1001212	All Stainless Steel	100 lb x 0.02 lb	12" x 12" x 4" H	8"	29 lbs
STSS-1501214	All Stainless Steel	150 lb x 0.02 lb	12" x 14" x 4" H	8"	31 lbs
STSS-3001616	All Stainless Steel	300 lb x 0.05 lb	16" x 16" x 4.25" H	16"	40 lbs
STSS-4001620	All Stainless Steel	400 lb x 0.05 lb	16" x 20" x 4.25" H	16"	47 lbs
STSS-4001818	All Stainless Steel	400 lb x 0.05 lb	18" x 18" x 4.25" H	16"	47 lbs
STSS-5002020	All Stainless Steel	500 lb x 0.1 lb	20" x 20" x 4.25" H	23.5"	66 lbs
STSS-5001824	All Stainless Steel	500 lb x 0.1 lb	18" x 24" x 5.5" H	23.5"	66 lbs
STSS-5002424	All Stainless Steel	500 lb x 0.1 lb	24" x 24" x 5.5" H	23.5"	86 lbs
STSS-10002424	All Stainless Steel	1,000 lb x 0.2 lb	24" x 24" x 5.5" H	23.5"	87 lbs
TAKE-AWAY PORTABLE WASHDOWN					
TWSS-5001824	All Stainless Steel	500 lb x 0.1 lb	18" x 24" x 10" H	27.5"	78 lbs
TWSS-5002424	All Stainless Steel	500 lb x 0.1 lb	20" x 20" x 10" H	27.5"	95 lbs
STSSRT-10002424	Roller Top Cover	1,000 lb x 0.2 lb	24" x 24" x 5.5" H	23.5"	94 lbs

¹ Non-NTEP

STERLING BENCH SCALES



FEATURES

- Mild steel base, 304 stainless steel pan for easy cleaning
- Adjustable tilt display for convenient viewing
- Aluminum environmentally sealed single point load cell
- Adjustable feet provide exceptional traction
- Standard removable column and wall mounting option
- T900 NTEP indicator with 6 digit, 0.9" display (LED standard)
- Check-weighing feature for quick portioning
- Units: lbs, kgs, (g, oz, lb:oz available on LCD indicator)
- Rechargeable battery (up to 72 hours continuous use) and AC operation
- Tare, Zero, Hold, Counting & Accumulation features
- Built-in RS-232 communication port
- Bubble level



OPTIONAL
HEIGHT ADJUSTABLE
BENCH SCALE CART

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	COLUMN	SHIP WT.
STANDARD					
ST-1001212	MS ¹ Platform/SS ² Cover	100 lb x 0.02 lb	12" x 12" x 4" H	8"	23 lbs
ST-1501214	MS Platform/SS Cover	150 lb x 0.02 lb	12" x 14" x 4" H	8"	23 lbs
ST-2001216	MS Platform/SS Cover	200 lb x 0.05 lb	12" x 16" x 4" H	8"	28 lbs
ST-3001616	MS Platform/SS Cover	300 lb x 0.05 lb	16" x 16" x 4.25" H	16"	32 lbs
ST-4001620	MS Platform/SS Cover	400 lb x 0.05 lb	16" x 20" x 4.25" H	16"	38 lbs
ST-4001818	MS Platform/SS Cover	400 lb x 0.05 lb	18" x 18" x 4.25" H	16"	38 lbs
ST-5002020	MS Platform/SS Cover	500 lb x 0.1 lb	20" x 20" x 4.25" H	23.5"	62 lbs
ST-5001824	MS Platform/SS Cover	500 lb x 0.1 lb	18" x 24" x 5.5" H	23.5"	64 lbs
ST-5002424	MS Platform/SS Cover	500 lb x 0.1 lb	24" x 24" x 5.5" H	23.5"	70 lbs
ST-10002424	MS Platform/SS Cover	1,000 lb x 0.2 lb	24" x 24" x 5.5" H	23.5"	70 lbs
ST-15002424	MS Platform/SS Cover	1,500 lb x 0.5 lb	24" x 24" x 5.5" H	23.5"	70 lbs
ST-10002424	MS Platform/SS Cover	1,000 lb x 0.2 lb	24" x 24" x 5.5" H	23.5"	70 lbs
BALL TRANSFER					
STBT-3001616	Ball Transfer Cover	300 lb x 0.05 lb	16" x 16" x 4.25" H	23.5"	32 lbs
STBT-5002020	Ball Transfer Cover	500 lb x 0.1 lb	20" x 20" x 4.25" H	28.5"	62 lbs
STBT-5002424	Ball Transfer Cover	500 lb x 0.1 lb	24" x 24" x 5.5" H	30.5"	70 lbs
STBT-10002424	Ball Transfer Cover	1,000 lb x 0.2 lb	24" x 24" x 5.5" H	30.5"	70 lbs
ROLLER TOP					
STRT-4001818	Roller Top Cover	400 lb x 0.05 lb	18" x 18" x 4.25" H	23.5"	38 lbs
STRT-5002424	Roller Top Cover	500 lb x 0.1 lb	24" x 24" x 5.5" H	30.5"	70 lbs
STRT-10002424	Roller Top Cover	1,000 lb x 0.2 lb	24" x 24" x 5.5" H	30.5"	70 lbs

¹ Mild Steel. ² Stainless Steel.

TAKE-AWAY PORTABLE BENCH SCALES



STAINLESS STEEL



STANDARD DIAMOND PLATE



STANDARD WITH SS COVER



T900 INDICATOR



HEAVY DUTY

FEATURES

- Convenient portable weighing platform with wheels
- Easily moves in any work area
- 27.5" backrail for pushing or pulling
- Swivel wheel casters come with brakes in the back
- High accuracy stainless steel load cells
- Hinged indicator bracket
- IP Rating: Standard- IP65, Stainless Steel- IP67
- Count, Auto Hold, Check Weighing features
- 1" LCD/LED Display with backlight
- Rechargeable Battery and 110V AC Adapter
- Legal for Trade: NTEP approved CC# 11-016
- Measurement Canada CC# AM-5817

HEAVY DUTY: ADDITIONAL FEATURES


- Low profile, only 6 inches
- 4 ABS feet and 2 back wheels allow the scale to be sturdy yet portable
- Tall column mounts and protects indicator from being damaged and serves as a handle for easy mobility
- Wheels only roll when the unit is tilted back which allows the platform to remain stable when set in place
- 200% overload protection
- Painted mild steel construction

MODEL	DESCRIPTION	CAPACITY	PLATFORM SIZE	RAIL	SHIP WT.
STANDARD					
TWMS-5001824	MS ¹ Platform/SS ² Cover	500 lb x 0.1 lb	18" x 24" x 10" H	27.5"	92 lbs
TWMS-10002424	MS Platform/SS Cover	1,000 lb x 0.2 lb	24" x 24" x 10" H	30.5"	94 lbs
TWDP-5001824	MS Platform/DP ³ Cover	500 lb x 0.1 lb	18" x 24" x 10" H	27.5"	106 lbs
TWDP-10002432	MS Platform/DP Cover	1,000 lb x 0.2 lb	24" x 32" x 10" H	31.5"	149 lbs
STAINLESS STEEL WASHDOWN					
TWSS-5001824	All Stainless Steel	500 lb x 0.1 lb	18" x 24" x 10" H	27.5"	78 lbs
TWSS-5002424	All Stainless Steel	500 lb x 0.1 lb	20" x 20" x 10" H	27.5"	95 lbs
HEAVY DUTY					
TWHD-5002424	MS Platform/DP Cover	500 lb x 0.1 lb	24" x 24" x 6" H	65"	100 lbs

¹ Mild Steel. ² Stainless Steel. ³ Diamond Plated Painted Steel.

BCT BENCH SCALE CART**TUFNER**
WEIGHING SYSTEMS**FEATURES**

- For use with Tufner bench scales
- Ideal for use in the food or chemical industry
- Stainless steel welded construction
- Wheeled design for effortless smooth movement, easy portability and fast set-up
- Locking rear casters stabilize the cart
- Adjustable cart legs can be raised or lowered to fit into assembly lines
- Rear handle for easy transporting
- Removable indicator stand, for remote mounting
- Tilt-able indicator to eliminate glare
- 1,000 lb capacity



PRODUCT NO.	PLATFORM SIZE	SHIP WT.
BCT-1818	For 18" x 18" platforms	50 lbs
BCT-2424	For 24" x 24" platforms	70 lbs